

What is claimed is:

- 5 1. A method for the distributed execution of tasks by means of a personal digital mobile device (PDMD) in a low power radio network (LPRN), comprising the steps of:
- generating a task in said PDMD;
 - storing the task in said PDMD;
 - 10 - establishing a link between said PDMD and said LPRN to detect a match of the task stored in PDMDs and the tasks executable by a device;
 - transferring said task stored in said PDMD to a device able to execute said task, if the ability to execute a task which
 - 15 matches the task stored in the PDMD is detected; and
 - executing said task in said device able to execute said task.
2. A method according to claim 1, wherein said link is established by said PDMD by broadcasting task related
- 20 information.
3. A method according to claim 1, wherein said link is established by said devices able to execute tasks by broadcasting information related to their ability to execute
- 25 tasks.
4. A method according to claim 2, wherein said task is generated

in said PDMD by transferring a task from a first device in the local range of said LPRN to said PDMD via said LPRN.

5. A method according to claim 2, further comprising the step of
5 determining if said task stored in said PDMD is to be transferred to said device able to execute said task.

6. A method according to claim 5, wherein said determination step
comprises an authentication operation between the PDMD and
10 said device able to execute said task.

7. A method according to claim 6, wherein said authentication
operation is performed by bonding.

8. A method according to claim 7, wherein at least a part of the
15 transfers between said PDMD and the device able to execute said task are encrypted.

9. A method according to claim 2, further comprising the step of
20 transmitting a confirmation from said device executing said task to said PDMD.

10. A method according to claim 9, wherein said confirmation
comprises a result of the task.

25 11. A method according to claim 9, further comprising the step of:

- displaying said confirmation on said PDMD.

12. A method according to claim 1, further comprising the steps
of displaying status information of said device able to
execute said task, and waiting for a user input for continuing
5 or breaking off.

13. A method according to claim 2, further comprising the step
of physically moving said PDMD.

10 14. A computer program for executing tasks by means of a
personal digital mobile device (PDMD) in a low power radio
network (LPRN) comprising program code means for carrying out
the steps of anyone of claims 1, when said program is run on a
personal digital mobile device, a computer or a network
15 device.

15 15. A computer program product comprising program code means
stored on a computer readable medium for carrying out the
method of anyone of claims 1, when said program product is run
20 on a personal digital mobile device, a computer or network
device.

16. A personal digital mobile device, comprising:
- low power radio transceiver to receive and transmit tasks from
25 devices
- storage means to store said tasks
- displaying means, to display status information of the device

or the task

- computing means
- detection means, to detect the location of other transceivers.

5 17. A method according to claim 3, wherein said task is generated in said PDMD by transferring a task from a first device in the local range of said LPRN to said PDMD via said LPRN.

10 18. A method according to claim 3, further comprising the step of determining if said task stored in said PDMD is to be transferred to said device able to execute said task.

15 19. A method according to claim 4, further comprising the step of determining if said task stored in said PDMD is to be transferred to said device able to execute said task.

20 20. A method according to claim 3, further comprising the step of transmitting a confirmation from said device executing said task to said PDMD.

25 21. A method according to claim 4, further comprising the step of transmitting a confirmation from said device executing said task to said PDMD.

22. A method according to claim 5, further comprising the step

of transmitting a confirmation from said device executing said task to said PDMD.

23. A method according to claim 6, further comprising the step
5 of transmitting a confirmation from said device executing said
task to said PDMD.

24. A method according to claim 7, further comprising the step
of transmitting a confirmation from said device executing said
10 task to said PDMD.

25. A method according to claim 8, further comprising the step of transmitting a confirmation from said device executing said task to said PDMD.

26. A method according to claim 10, further comprising the step of:
displaying said confirmation on said PDMD.

20 27. A method according to claim 2, further comprising the steps of displaying status information of said device able to execute said task, and waiting for a user input for continuing or breaking off.

25 28. A method according to claim 3, further comprising the steps
of displaying status information of said device able to
execute said task, and waiting for a user input for continuing
or breaking off.

29. A method according to claim 4, further comprising the steps
of displaying status information of said device able to
execute said task, and waiting for a user input for continuing
or breaking off.
30. A method according to claim 5, further comprising the steps
of displaying status information of said device able to
execute said task, and waiting for a user input for continuing
or breaking off.
31. A method according to claim 6, further comprising the steps
of displaying status information of said device able to
execute said task, and waiting for a user input for continuing
or breaking off.
32. A method according to claim 7, further comprising the steps
of displaying status information of said device able to
execute said task, and waiting for a user input for continuing
or breaking off.
33. A method according to claim 8, further comprising the steps
of displaying status information of said device able to
execute said task, and waiting for a user input for continuing
or breaking off.
34. A method according to claim 9, further comprising the steps
of displaying status information of said device able to

2
execute said task, and waiting for a user input for continuing or breaking off.

35. A method according to claim 10, further comprising the steps
5 of displaying status information of said device able to execute said task, and waiting for a user input for continuing or breaking off.

36. A method according to claim 11, further comprising the steps
10 of displaying status information of said device able to execute said task, and waiting for a user input for continuing or breaking off.

37. A method according to claim 12, further comprising the steps
15 of displaying status information of said device able to execute said task, and waiting for a user input for continuing or breaking off.

38. A method according to claim 3, further comprising the step
20 of physically moving said PDMD.

39. A method according to claim 4, further comprising the step of physically moving said PDMD.

25 40. A method according to claim 5, further comprising the step of physically moving said PDMD.

41. A method according to claim 6, further comprising the step

of physically moving said PDMD.

42. A method according to claim 7, further comprising the step of physically moving said PDMD.

5

43. A method according to claim 8, further comprising the step of physically moving said PDMD.

10

44. A method according to claim 9, further comprising the step of physically moving said PDMD.

45. A method according to claim 10, further comprising the step of physically moving said PDMD.

15

46. A method according to claim 11, further comprising the step of physically moving said PDMD.

47. A method according to claim 12, further comprising the step of physically moving said PDMD.

20

48. A computer program for executing tasks by means of a personal digital mobile device (PDMD) in a low power radio network (LPRN) comprising program code means for carrying out the steps of claim 2 when said program is run on a personal digital mobile device, a computer or a network device.

25

49. A computer program for executing tasks by means of a personal digital mobile device (PDMD) in a low power radio

network (LPRN) comprising program code means for carrying out the steps of claim 3 when said program is run on a personal digital mobile device, a computer or a network device.

5 50. A computer program for executing tasks by means of a personal digital mobile device (PDMD) in a low power radio network (LPRN) comprising program code means for carrying out the steps of claim 4 when said program is run on a personal digital mobile device, a computer or a network device.

10

51. A computer program for executing tasks by means of a personal digital mobile device (PDMD) in a low power radio network (LPRN) comprising program code means for carrying out the steps of claim 5 when said program is run on a personal digital mobile device, a computer or a network device.

15

52. A computer program for executing tasks by means of a personal digital mobile device (PDMD) in a low power radio network (LPRN) comprising program code means for carrying out the steps of claim 6 when said program is run on a personal digital mobile device, a computer or a network device.

20

53. A computer program for executing tasks by means of a personal digital mobile device (PDMD) in a low power radio network (LPRN) comprising program code means for carrying out the steps of claim 7 when said program is run on a personal digital mobile device, a computer or a network device.

25

54. A computer program for executing tasks by means of a personal digital mobile device (PDMD) in a low power radio network (LPRN) comprising program code means for carrying out the steps of claim 8 when said program is run on a personal digital mobile device, a computer or a network device.

55. A computer program for executing tasks by means of a personal digital mobile device (PDMD) in a low power radio network (LPRN) comprising program code means for carrying out the steps of claim 9 when said program is run on a personal digital mobile device, a computer or a network device.

56. A computer program for executing tasks by means of a personal digital mobile device (PDMD) in a low power radio network (LPRN) comprising program code means for carrying out the steps of claim 10 when said program is run on a personal digital mobile device, a computer or a network device.

57. A computer program for executing tasks by means of a personal digital mobile device (PDMD) in a low power radio network (LPRN) comprising program code means for carrying out the steps of claim 11 when said program is run on a personal digital mobile device, a computer or a network device.

58. A computer program for executing tasks by means of a personal digital mobile device (PDMD) in a low power radio network (LPRN) comprising program code means for carrying out the steps of claim 12 when said program is run on a personal

digital mobile device, a computer or a network device.

59. A computer program for executing tasks by means of a personal digital mobile device (PDMD) in a low power radio network (LPRN) comprising program code means for carrying out the steps of claim 13 when said program is run on a personal digital mobile device, a computer or a network device.

60. A computer program product comprising program code means stored on a computer readable medium for carrying out the method of claim 2 when said program product is run on a personal digital mobile device, a computer or network device.

61. A computer program product comprising program code means stored on a computer readable medium for carrying out the method of claim 3 when said program product is run on a personal digital mobile device, a computer or network device.

62. A computer program product comprising program code means stored on a computer readable medium for carrying out the method of claim 4 when said program product is run on a personal digital mobile device, a computer or network device.

63. A computer program product comprising program code means stored on a computer readable medium for carrying out the method of claim 5 when said program product is run on a personal digital mobile device, a computer or network device.

64. A computer program product comprising program code means stored on a computer readable medium for carrying out the method of claim 6 when said program product is run on a personal digital mobile device, a computer or network device.

5

65. A computer program product comprising program code means stored on a computer readable medium for carrying out the method of claim 7 when said program product is run on a personal digital mobile device, a computer or network device.

10

66. A computer program product comprising program code means stored on a computer readable medium for carrying out the method of claim 8 when said program product is run on a personal digital mobile device, a computer or network device.

15

67. A computer program product comprising program code means stored on a computer readable medium for carrying out the method of claim 9 when said program product is run on a personal digital mobile device, a computer or network device.

20

68. A computer program product comprising program code means stored on a computer readable medium for carrying out the method of claim 10 when said program product is run on a personal digital mobile device, a computer or network device.

25

69. A computer program product comprising program code means stored on a computer readable medium for carrying out the method of claim 11 when said program product is run on a

personal digital mobile device, a computer or network device.

70. A computer program product comprising program code means stored on a computer readable medium for carrying out the method of claim 12 when said program product is run on a personal digital mobile device, a computer or network device.

71. A computer program product comprising program code means stored on a computer readable medium for carrying out the method of claim 13 when said program product is run on a personal digital mobile device, a computer or network device.

2025